

# HOW TO SHOW ANCHORS ON A JPA

## Proposed Video Plan

Based on prior BJT meeting feedback, I've outlined separate videos. If anyone believes combining certain topics (e.g., basic anchor and sidewalk anchor) would be more effective, please let me know.

Initial Four Videos:

### 1. Basic NEW Joint Anchor

*Per Section 12.3: Newly installed anchors must show year set on the Joint Pole Final Authorization.*

### 2. Basic NEW Joint Sidewalk Anchor

*Per Section 12.3: Newly installed anchors must show year set on the Joint Pole Final Authorization.*

### 3. Basic EXISTING Joint Anchor

*Per Section 12.3: Existing anchors that become joint do not require year set to be shown on the JPA.*

- Does not need to show any percentage on Proposes Side of JPA because nothing is being proposed to the anchor. It is remaining the same.

Pole Number: 41845M			Status: Active
			Unique ID: 1767671
Base Owner:	MM		
Location:	RADCLIFFE AV W/S 180' S/O DE PAUW ST EXTD		
Latitude:	34.04042746	Class:	
Longitude:	-118.5309027		
Pole Height:	45	Top:	0
Year Set:	1953	Treatment:	FT
City:	PACIFIC PALISADES	Code:	3680I
Repl Pole #:			
Removal/Relinquishment:			
Member to remove pole or member relinquished:			
Company	ANT	Grade & Space	Additional Info
MM	-	L 39-10	.50:A1
FTR	-	23-5	.50:A1 A1=1*_AN(N)
JPA Number:	M219504	M226845	
Bill of Sale:			
2/54: M BILL GT \$33.33: M26966			
1/06: I KL: M219504			
10/10: M BILL VZ \$223 .50 1" ANC(N):			

Page No. 5 of 11		<b>FINAL</b>										J.P. AUTH. NO. H-A01JYT3										
J.P. FORM 2-1 Rev 07/20																						
POLE NO.	Pole Length Anchor Size	Year Set	Pole Tilt Class	Record						Proposed						Item No.	LOCATION AND NATURE OF WORK If not in accordance with Joint Pole agreement and routine-state reasons.					
				Anchor Direc.	M	NG	FTR	SPR				M	NG	FTR	SPR			HLA				
41845M	45	1953	FT CL3	39-10			23-5							39-9			23-5		24-1			RADCLIFFE AV W/S 180' S/O DE PAUW ST EXTD
	1"		N	.50			.50															

**4. Basic EXISTING Sidewalk Anchor**

*Per Section 12.3: Existing anchors that become joint do not require year set to be shown on the JPA.*

## 12.3 Anchors Jointly Owned

The size (rod diameter) and year set of anchors newly installed must be accurately shown on the Joint Pole Final Authorization to insure the use of the proper year of Authorized Costs. Existing anchors, which become joint, need not be identified with their corresponding year set. Attachments to existing anchors shall be by agreement and shall require purchase of interest in accordance with Authorized Costs.

The cost for interest in anchors, pipe brace and fittings shall be apportioned equally. Transfer cost of pipe brace and fittings are specified in Authorized Costs.

Next Topics:

### Anchor Removals and Transfers

- 5. Removing a JOINT anchor on a JPA (AR)
- 6. Transferring a JOINT anchor on a JPA (AT)

### Unauthorized Joint Records

- 7. Adding an unauthorized anchor to an unauthorized pole
- 8. Adding an unauthorized anchor to a JOINT pole

Note: Additional research is required on how to show AR and AT for unauthorized anchors, including item numbers and member charge guidelines.

I am sure there are other instances, but I can start with the above and expand as needed.

From the Routine Handbook:

**PRELIMINARY JOINT POLE AUTHORIZATION  
EXAMPLE C8**

- (1) Indicate proper section of Routine to reflect work being performed.
- (2) Indicate pulling routine in the column of the party performing the work.
- (3) Show "TN" with grade when tenant circuits are involved.
- (4) Show general geographical location of the poles as related to cities or towns.
- (5) Show disposition of existing joint anchors. Refer to anchor legend in lower left corner of authorization form.
- (6) Indicate voltage on poles in accordance with Section 16.3. Appropriate symbols must be shown wherever necessary to reflect voltage changes.
- (7) Indicate type of pole treatment. (See Section 15.5)
- (8) Indicate length of portion of pole cut off prior to removal in accordance with pole legend in lower left corner of authorization form.
- (9) Show disposition of existing joint sidewalk fittings, whether removed or transferred. The code "AT or AR" may also be used for any item associated with an arm or anchor such as fittings and guys.

**AUTHORIZATION FOR JOINT POLE TRANSACTION** J.P. FORM 2-1 Preliminary 1/05

This authorization is in accordance with Joint Pole Agreement and Routine. The undersigned have agreed on joint work as specified herein.

Date Prepared: 1/1/2005

Date Sent: 1/5/2005    Confirming Agreement: 1/4/2005    In Field:     By Telephone:     Date Contract Start: 2/20/2005    No. of Pages: 1    J.P. Auth. No.: UJ1-3455

UTILITY	REPRESENTATIVE	DISTRICT-DIVISION-EXCHANGE	APPROVED	TAKING INSTRUCTIONS	ACCOUNTING DATA
U1	JONES	CENTRAL	J. BROWN	ALHAMBRA	510-2545
U2	JOHNSON	PASADENA	M. SMITH	PASADENA	WG2345-5120
U3	WHITE	SOUTHERN	R. GREEN	L.A. COUNTY	CG0-7234

  

POLE NO.	File Length Anchor Size	Year Built	Pole Type Anchor Size	Record			Proposed			Item No.	LOCATION AND NATURE OF WORK <small>If not in accordance with Joint Pole agreement and routine state reasons.</small>
				U1	U2	U3	U1	U2	U3		
5978-U1	50	69	FT	ALL			19KV	C	C		U2 & U3 TO PURCHASE SEC 4.0 & 12.3
	1"		E	ALL			42-10	27-5	22-4		4 <sup>TH</sup> ST AN NIS 21' E/O GOOD AV
							.34	.33	.32	1110	
6789-U2	50	74	FT	43-10	27-5	22-4	43-10	27-5			U3 TO RELING SEC 5.1A & 17.0
						TN22			TN22		4 <sup>TH</sup> ST AN NIS 30' E/O GOOD AV
1023-U1	40	80	FT	34-4	24-3	21-3	C-10		FTD		U1 TO REPLACE SEC 7.3 & TFR ANG SEC 12.12
	1"		E		.33	.33			AT		GERRY ST N/S 137' W/O SUNSET
	2"		FIB		.33	.33			AT		
2422-U1	50	05	FT				45-15	24-3	21-5		GERRY ST N/S 138' W/O SUNSET
							1	1	1	83	
							1	1	1	78A	

  

**POLE LEGEND:**  
 L = LOWER CUT  
 P = POLE  
 F = FULLY  
 S = SPLIT  
 T = TOWER  
 D = DUAL  
 U = UPRIGHT  
 W = WALKWAY  
 C = CANTILEVER  
 A = ANCHOR  
 R = REMOVED  
 T = TRANSFERRED  
 S = SPLIT  
 U = UPRIGHT  
 W = WALKWAY  
 C = CANTILEVER  
 A = ANCHOR  
 R = REMOVED  
 T = TRANSFERRED

**ANCHOR LEGEND:**  
 AN = ANCHOR  
 AR = ANCHOR REMOVED  
 AT = ANCHOR TRANSFERRED

SHOW DISPOSITION OF  
 ANCHORS TO BE DELETED  
 IN THE COLUMNS OF  
 PARTY TO BE MAINT.

GEOGRAPHICAL LOCATION  
 MEMBERS  
 COMMUNITY

WJ.P.-03